

ISSN 2224-526X

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ  
Қазақ ұлттық аграрлық университеті

# Х А Б А Р Л А Р Ы

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Казахский национальный  
аграрный университет

## IZVESTIĀ

NATIONAL'NOJ AKADEMII NAUK  
RESPUBLIKI KAZAHSTAN  
Kazakh National  
Agrarian University

SERIĀ AGRARNYH NAUK

4 (58)

JULY – AUGUST 2020

PUBLISHED SINCE JANUARY 2011

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

Б а с р е д а к т о р

**Есполов Т.И.,**

э.ғ.д, профессор,

ҚР ҰҒА академигі және вице-президенті

Р е д а к ц и я а л қ а с ы:

**Байзақов С.Б.**, э.ғ.д, проф., ҚР ҰҒА академигі (бас редактордың орынбасары); **Тиреуов К.М.**, э.ғ.д, проф., ҚР ҰҒА академигі (бас редактордың орынбасары); **Елешев Р.Е.**, т.ғ.д, проф., ҚР ҰҒА академигі; **Рау А.Г.**, т.ғ.д, проф., ҚР ҰҒА академигі; **Иванов Н.П.**, в.ғ.д, проф., ҚР ҰҒА академигі; **Кешуов С.А.**, т.ғ.д, проф., ҚР ҰҒА академигі; **Мелдебеков А.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Чоманов У.Ч.**, т.ғ.д, проф., ҚР ҰҒА академигі; **Елюбаев С.З.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Садыкулов Т.**, а.ш.ғ.д., проф., академигі; **Баймұқанов Д.А.**, а.ш.ғ.д., проф., ҚР ҰҒА корр-мүшесі; **Сансызбай А.Р.**, а.ш.ғ.д., проф., ҚР ҰҒА корр-мүшесі; **Оспанов С.Р.**, а.ш.ғ.д., проф., ҚР ҰҒА құрметті мүшесі; **Олейченко С.И.**, а.ш.ғ.д., проф.; **Кененбаев С.Б.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Омбаев А.М.**, а.ш.ғ.д., проф. ҚР ҰҒА корр-мүшесі; **Молдашев А.Б.**, э.ғ.д, проф., ҚР ҰҒА құрметті мүшесі; **Сагитов А.О.**, б.ғ.д, ҚР ҰҒА академигі; **Балгабаев Н.Н.**, а.ш.ғ.д., проф.; **Умирзаков С.И.**, т.ғ.д, проф.; **Султанов А.А.**, в.ғ.д, проф., ҚР АШҒА академигі; **Алимкулов Ж.С.**, т.ғ.д, проф., ҚР АШҒА академигі; **Сарсембаева Н.Б.**, в.ғ.д, проф.

Р е д а к ц и я к ең е с і:

**Fasler-Kan Elizaveta**, Dr., University of Basel Switzerland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malaysia; **Hesseln Hayley Fawn**, As. Prof., University of Saskatchewan, Canada; **Alex Morgounov**, Pr., International Maize and Wheat Improvement Center Turkey; **Андреш С.**, Молдова Республикасы ҰҒА академигі; **Гаврилюк Н.Н.**, Украина ҰҒА академигі; **Герасимович Л.С.**, Беларусь Республикасының ҰҒА академигі; **Мамедов Г.**, Азербайжан Республикасының ҰҒА академигі; **Шейко И.П.**, Беларусь Республикасының ҰҒА академигі; **Жалнин Э.В.**, т.ғ.д., проф., Ресей; **Боинчан Б.**, а.ш.ғ.д, проф., Молдова Республикасы; **Юлдашбаев Ю.А.**, а.ш.ғ.д, проф., РФА корр-мүшесі, Ресей.

«ҚР ҰҒА Хабарлары. Аграрлық ғылымдар сериясы».

ISSN 2224-526X

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген № 10895-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28; 219, 220 бөл.; тел.: 272-13-19, 272-13-18;

<http://agricultural.kz/index.php/en/>

---

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2020

Типографияның мекенжайы: «NurNaz GRACE», Алматы қ., Рысқұлов көш., 103.

Главный редактор

**Есполов Т.И.,**

доктор эконом. наук, проф.,  
вице-президент и академик НАН РК

Редакционная коллегия:

**Байзаков С.Б.**, доктор эконом. наук, проф., академик НАН РК (заместитель главного редактора); **Тиреуов К.М.**, доктор эконом. наук, проф., академик НАН РК (заместитель главного редактора); **Елешев Р.Е.**, доктор техн. наук, проф., академик НАН РК; **Рау А.Г.**, доктор техн. наук, проф., академик НАН РК; **Иванов Н.П.**, доктор ветеринар. наук, проф., академик НАН РК; **Кешуов С.А.**, доктор техн. наук, проф., академик НАН РК; **Мелдебеков А.**, доктор сельхоз. наук, проф., академик НАН РК; **Чоманов У.Ч.**, доктор техн. наук, проф., академик НАН РК; **Елюбаев С.З.**, доктор сельхоз. наук, проф., академик НАН РК; **Садыкулов Т.**, доктор сельхоз. наук, проф., академик НАН РК; **Баймуқанов Д.А.**, доктор сельхоз. наук, проф., член-корр. НАН РК; **Сансызбай А.Р.**, доктор сельхоз. наук, проф., член-корр. НАН РК; **Оспанов С.Р.**, доктор сельхоз. наук, проф., Почетный член НАН РК; **Олейченко С.И.**, доктор сельхоз. наук, проф.; **Кененбаев С.Б.**, доктор сельхоз. наук, проф., академик НАН РК; **Омбаев А.М.**, доктор сельхоз. наук, проф. член-корр. НАН РК.; **Молдашев А.Б.**, доктор эконом. наук, проф., Почетный член НАН РК; **Сагитов А.О.**, доктор биол. наук, академик НАН РК; **Балгабаев Н.Н.**, доктор сельхоз. наук, проф.; **Умирзаков С.И.**, доктор техн. наук, проф.; **Султанов А.А.**, доктор ветеринар. наук, проф., академик АСХН РК; **Алимкулов Ж.С.**, доктор техн. наук, проф., академик АСХН РК; **Сарсембаева Н.Б.**, доктор ветеринар. наук, проф.

Редакционный совет:

**Fasler-Kan Elizaveta**, Dr., University of asel Switzeland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malaysia; **Hesseln Hayley Fawn**, As.Prof., University of Saskatchewan, Canada; **Alex Morgounov**, Pr., International Maize and Wheat Improvement Center Turkey; **Андреш С.**, академик НАН Республики Молдова; **Гаврилюк Н.Н.**, академик НАН Украины; **Герасимович Л.С.**, академик НАН Республики Беларусь; **Мамедов Г.**, академик НАН Республики Азербайджан; **Шейко И.П.**, академик НАН Республики Беларусь; **Жалнин Э.В.**, доктор техн. наук, проф., Россия; **Боинчан Б.**, доктор сельхоз. наук, проф., Республика Молдова; **Юлдашбаев Ю.А.**, доктор сельхоз. наук, проф., член-корр. РАН, Россия.

**Известия Национальной академии наук Республики Казахстан. Серия аграрных наук.**

**ISSN 2224-526X**

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан № 10895-Ж, выданное 30.04.2010 г.

Периодичность 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219-220; тел. 272-13-19, 272-13-18;

<http://agricultural.kz/index.php/en/>

---

© Национальная академия наук Республики Казахстан, 2020

Адрес типографии: ИП «NurNazGRACE», г. Алматы, ул. Рыскулова, 103

Chief Editor

**Espolov T.I.,**

Dr. economy. Sciences, prof.,  
Vice President and academician of the NAS RK

Editorial Board:

**Baizakov S.B.**, Dr. of economy sciences, prof., academician of NAS RK (deputy editor); **Tireuov K.M.**, Doctor of Economy Sciences., prof., academician of NAS RK (deputy editor); **Eleshev R.E.**, Dr. Of agricultural sciences, prof., academician of NAS RK; **Rau A.G.**, Dr. sciences, prof., academician of NAS RK; **Ivanov N.P.**, Dr. of veterinary sciences, prof., academician of NAS RK; **Keshuov S.A.**, Dr. sciences, prof., academician of NAS RK; **Meldebekov A.**, doctor of agricultural sciences, prof., academician of NAS RK; **Chomanov U.Ch.**, Dr. sciences, prof., academician of NAS RK; **Yelyubayev S.Z.**, Dr. of agricultural sciences, prof., academician of NAS RK; **Sadykulov T.**, Dr. Farm. Sciences, prof., academician of NAS RK; **Baimukanov D.A.**, doctor of agricultural sciences, prof., corresponding member NAS RK; **Sansyzbai A.R.**, doctor of agricultural sciences, prof., corresponding member NAS RK; **Ospanov S.R.**, Dr. agricultural sciences, prof., Honorary Member of NAS RK; **Oleychenko S.N.**, Dr. Of agricultural sciences, prof.; **Kenenbayev S.B.**, Dr. Agricultural sciences, prof., academician of NAS RK; **Ombayev A.M.**, Dr. Agricultural sciences, Prof. corresponding member NAS RK; **Moldashev A.B.**, Doctor of Economy sciences, prof., Honorary Member of NAS RK; **Sagitov A.O.**, Dr. biol. sciences, academician of NAS RK; **Balgabaev N.N.**, the doctor agricultural sciences, Prof.; **Umirzakov S.I.**, Dr. Sci. Sciences, Prof.; **Sultanov A.A.**, Dr. of veterinary sciences, prof., academician of the Academy of Agricultural Sciences of Kazakhstan; **Alimkulov J.C.**, Dr. of tekhnical sciences, prof., academician of the Academy of Agricultural sciences of Kazakhstan; **Sarsembayeva N.B.**, Dr. veterinary sciences, prof.

Editorial Board:

**Fasler-Kan Elizaveta**, Dr., University of Basel Switzerland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malaysia; **Hesseln Hayley Fawn**, As. Prof., University of Saskatchewan, Canada; **Alex Morgounov**, candidate of agricultural sciences, International Maize and Wheat Improvement Center Turkey; **Andresh S.**, academician of NAS of Moldova; **Gavriluk N.N.**, academician of NAS of Ukraine; **Gerasimovich L.S.**, academician of NAS of Belorassia; **Mamadov G.**, academician of NAS of Azerbaijan; **Sheiko I.P.**, academician of NAS of Belorassia; **Zhalnin E.V.**, Dr. of technical sciences, professor, Russia, **Boinchan B.**, doctor of agricultural sciences, prof., Moldova; **Yuldashbayev Y.A.**, doctor of agricultural sciences, prof., corresponding member of RAS, Russia.

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of Agrarian Sciences.**

**ISSN 2224-526X**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10895-Ж, issued 30.04.2010.

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219-220, Almaty, 050010; tel. 272-13-19, 272-13-18;

<http://agricultural.kz/index.php/en/>

---

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Address of printing house: «NurNaz GRACE», 103, Ryskulov str, Almaty

**NEWS**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

**SERIES OF AGRICULTURAL SCIENCES**

ISSN 2224-526X

Volume 4, Number 58 (2020), 44 – 52

<https://doi.org/10.32014/2020.2224-526X.33>

UDK 502/504:63:551.48

**N. Sh. Suleimenova<sup>1</sup>, D. B. Kalykov<sup>1</sup>, M. Filipova<sup>2</sup>, G. Orynbasarova<sup>1</sup>**

<sup>1</sup>Kazakh National Agrarian University, Almaty, Kazakhstan;

<sup>2</sup>Angel Kanchev University of Ruse, Bulgaria.

E-mail: naziya44@gmail.com, 2773477@mail.ru, gulnar.86\_27@mail.ru

**CLIMATE CHANGE AND ESCALATION  
OF AGROECOSYSTEM'S ECOLOGICAL PROBLEMS**

**Abstract.** In this article, in the "climate - agriculture" system, we have formed research tasks: - one of them is related to the assessment of changes in climate parameters, - the second, the impact of changes in climate parameters on the environmental situation of the agro ecosystem and development of ways to adapt the technology of oilseed cultivation to changing climatic conditions in the South-East of Kazakhstan. Experimental results are given, on the basis of 12-year research, the impact of changes in climate parameters on productivity is estimated for the first time, and the aggravation of environmental problems of the agro ecosystem and the possibility of solving the problem of adaptation to high climate changes in the South-East of Kazakhstan are revealed. The scientific basis for improving the environmental situation of soybean and rapeseed agro phytocenosis is established, depending on the use of soil-protective technologies for oilseeds cultivation, which mitigate the risk of drought in years with a high increase in air temperature. The effectiveness of the use of soil protection methods of soil treatment with resource-saving technology of cultivation of oilseeds in the agricultural ecosystem is revealed. The regularity of positive changes the soil fertility of the arable soil layer as a result of the use of soil protection minimal technology (Mini-till) which provides an increase in the quality of the soil resource and the restoration of agro physical factors of soil fertility. Under crops of cultivated plants the ecological situation of plant growths and development of crops and significantly increases the productivity of soy and rapeseed.

**Key words:** climate, natural resource, climate change, risk, agriculture, adaptation, technology.

**Introduction** At the present stage, due to the ongoing technogenic and anthropogenic changes taking into account climate change, environmental science has acquired a purely applied character [1]. Agriculture is the main area from which anthropogenic impacts originate. Since it is the only sector of the economy that carries the greatest burden on the environment, it requires determination of agricultural sector's development principles based on adaptation measures to climate change associated with direct usage of land, plant and energy resources of agro ecosystem [2].

In accordance with established climatologists (Ivanova, Kiryushina, 2009 and Schwartz et al., 2001), the most important climate-related events at the present stage is so-called global warming, which has been especially pronounced since the late 80s of the XX century [3, 4]. This event had put forward the problem of global changes in environment under the influence of climate change among ecology's fundamental problems along with the applied nature. Therefore, the risks of agro ecosystem for world agriculture stand out as the most significant in the list of potential environmental problems associated with global warming [5].

However, it is difficult to estimate the extent to which individual countries will be affected. For this reason, a study was undertaken (Cline, 2007) in order to obtain a more accurate long-term assessment of the consequences. Based on current problem, it is necessary to determine the likely impact on the efficiency of agricultural production development in a certain country and regions [6,7].

In the last decade of the XXI century, the *problems of climate change on the planet* are increasingly being discussed (Gruza, Rankova 2003., Bautin 2011) since this factor significantly affects the formation of agricultural crops [8,9].

In a discussion at national communication of the Republic of Kazakhstan on the UN Framework Convention on Climate Change, published in 2013, experts came to conclusion that over the past 70 years, an increase in average annual and seasonal surface air temperatures has been observed throughout Kazakhstan [10].

Thus, our summarized hypotheses of climate change are quite high, due to the large uncertainty of natural changes in the specific conditions of the agro ecosystem of the South-East of Kazakhstan. Along with the complexity, ambiguity and insufficiency of scientific developments in these conditions, it is difficult to solve fundamental problems of theoretical and practical significance in the field of ecology [11,12,13]. In this regard, the solution of agro ecological problems at the present stage due to the ongoing anthropogenic and anthropogenic changes in the global climate change is a very urgent problem. Therefore, there is a need to assess the possible consequences of climate change in the specific conditions of the agro-industrial complex of the South-East of Kazakhstan and to develop measures to adapt the technology of cultivated crops to changing climate conditions.

Therefore, to achieve the goal of our research in the "climate - agriculture" system, we have formed research tasks: - one of them is related to the assessment of changes in climate parameters, - the second, the impact of changes in climate parameters on the environmental situation of the agro ecosystem and ways to adapt the technology of oilseed cultivation to changing climatic conditions in the South-East of Kazakhstan.

This article presents experimental results based on 12-year research, the impact of changes in climate parameters on productivity is estimated for the first time and the aggravation of environmental problems of the agro ecosystem and the possibility of solving the problem of adaptation to high climate changes in the South-East of Kazakhstan is revealed. The scientific basis for improving the environmental situation of soybean and rapeseed agrophytocenosis is established, depending on the use of soil-protective technologies for oilseeds cultivation, which mitigate the risk of drought in years with a high increase in air temperature. The effectiveness of the use of soil protection methods of soil treatment with resource-saving technology of cultivation of oilseeds in the agricultural ecosystem is revealed. The regularity of positive changes the soil fertility of the arable soil layer as a result of the use of soil protection minimal technology which provides an increase in the quality of the soil resource and the restoration of agrophysical factors of soil fertility. Under crops of cultivated plants, the ecological situation of plant growth and development is optimized and productivity is significantly increased.

**Methods and objects of research.** Experiments were carried out on the territory of educational and experimental farm "AgroUniversity" of the Kazakh National Agrarian University, located on foothill plain of the North ern slope of Ili Alatau. Soils distribution and formation of climate features in the region are subject to the law of vertical zonality (Saparov, 2014.), which is most clearly expressed in the central part of the Northern Tien Shan. Absolute marks of territory elevation 550-700 m above sea level. The research area is characterized by a sharply continental climate, low air humidity, abundance of sunlight, short but moderately cold winters [14]. The average annual precipitation is 540 mm. About 300 mm of precipitation falls during the warm season. The average annual air temperature ranges from 7.7-8.1<sup>0</sup>C.

Field experiments were made on meadow-chestnut soils of heavy mechanical composition. Chemical composition of meadow chestnut soil is characterized by a moderate humus content (Eleshev, 2014). The following regularity should be noted in distribution of humus along the profile: its relatively high content (4.40-4.45%) in the upper horizon sharply, decreases more than 2-times upon transition to the next sub-till horizon [15]. The meadow-chestnut soil by its water-physical properties and the level of potential fertility fully satisfies the conditions of cultivation of all types of crops, including oilseeds.

The objects of research were soy of Eureka variety and spring rape of Maily sort. The experimental studies were made by generally accepted classical methods: experiment- test and observation, one-factor and multifactor field experiments (Kiryushin et al, 2009; Ivanov, 2008 and All-Russian Research Institute of Feed named after V.R. Williams, 2011). The main research method was field experiment, accompanied by numerous observations, counts and laboratory analyzes. Field experiments were established using the experimental methodology (Novikov, 2010), as well as the "Methodology for conducting field agrotechnical experiments with oilseeds" (Lukomets, 2007).

**Results of the research and discussions.** To estimate the parameters of climate change, used data were obtained on the basis of the implementation of 6 scientific grant projects for the Ministry of Agriculture of the Republic of Kazakhstan and the Ministry of Education and Science of the Republic of

Kazakhstan for 2006-2017 meteorological data of the Kazakh Meteorological Service and agricultural statistics of the Almaty region.

Many forecasts highlight the negative effects of global change on agriculture. A significant change in weather conditions for agricultural production in study areas is noted, which is associated not only with an increase in temperature, but also with the fact that the climate is becoming drier.

We have studied climate change and its impact on agricultural goods productivity in conditions of southeast Kazakhstan in the "climate - agriculture" system. Two aspects have been distinguished: "climate as a natural resource" and "climate change as a risk for agricultural production". The average annual air temperature during the years of research exceeds the long-term average value and varies between 8.8 °C and 11.7°C with an average long-term value of the year temperature of 7.7 °C. The results obtained show distribution of air temperature by months in years of research and indicate climate warming (table 1).

Table 1 – Distribution of air temperature by months in years of research (2006-2017), t<sup>0</sup>C

Research years	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Annual
Average yearly air temperature, t <sup>0</sup> C													
2006	-6,4	-1,7	-7,5	13,3	17,4	22,4	24,0	24,6	17,7	13,4	5,5	-6,7	11,2
2007	-3,7	0,4	3,5	14,4	17,4	22,9	24,6	23,4	19,6	8,3	5,2	-5,9	10,8
2008	-10,4	-4,2	9,1	10,	20,4	24,8	25,8	25,2	18,1	10,7	3,8	-4,2	10,8
2009	-3,3	-2,2	4,9	9,7	14,8	19,6	22,6	21,2	15,4	10,2	1,2	-2,8	9,3
2010	- 2,5	-5,9	2,9	10,8	14,7	20,3	22,1	22	16,3	10,9	4,8	-2,7	9,5
2011	-9,8	-3,7	0,3	12,9	16,3	21,3	22,7	22,3	17,8	9,9	1,3	-6,1	8,8
2012	-10,2	-6,0	2,0	15,6	18,6	23,5	23,7	23,4	23,3	11,6	0,1	-13,6	9,3
2013	-9,6	-8,8	3,8	12,3	16,9	21,3	24,9	23,0	19,9	13,4	3,7	-3,5	9,8
2014	-4,3	-13,6	3,6	10,1	18,6	23,0	24,5	24,1	18,0	9,4	0,9	-3,3	9,2
2015	-2,5	+1,1	4,5	13,5	18,8	22,6	27,3	25,5	19,8	10,5	1,2	4,8	11,4
2016	0,2	0,0	9,1	13,4	16,6	23,1	23,7	22,9	20,3	9,6	1,1	-4,4	10,3
2017	-2,8	1,8	10,6	14,1	19,2	24,8	25,5	23,8	20,8	9,7	2,1	- 6,9	11,7
Ave. air t <sup>0</sup> C	-10,8	-8,5	0,7	10,4	16,4	21,2	24,1	22,1	16,0	8,3	-0,9	-7,6	7,7

Thus, during the years of research, the anomaly of average annual temperature in south-east of Kazakhstan reaches 3°C and 4°C. The average annual air temperature shows rapid climate warming in scope of our research and it is noticeably greater than global climate change of the whole globe, where the change in air temperature by many sources on average is 1°C.

The study site has shown that almost one third of annual precipitation falls in spring (April-May). The number of days with precipitation in these months reaches 10-14. On dry days, the temperature rises sharply. However, despite increased temperature background, due to frequent rains, the hydrothermal coefficient in spring is quite high and amounts to 2.0-3.8, the value of which characterizes high seasonal rainfall in the region. In parallel with a large amount of precipitation, the maximum air temperature reaches up to 30 °C and 35 °C. The obtained results of climate change proves the general tendency of sharp climate change and can be characterized as "warming with increasing aridity" in scope of our research. To illustrate climate change, we proposed a four-dimensional gradation of climate change over 12 years of study, with increasing air temperature through 1°C, as in the whole world (table 2).

Table 2 – Climate changes by air temperature in conditions of southeast Kazakhstan (for 2006-2017)

# of gradation	Change of average daily air temperature, drought	Research years	Amount of years with t <sup>0</sup> C change
1 <sup>st</sup>	t <sup>0</sup> C rise by 1°C	Air temperature change exceeded 1 °C during all research years	
2 <sup>nd</sup>	T <sup>0</sup> C rise by 1,1-2,0°C	2009, 2010, 2011, 2012 and 2014	5 years out of 12
3 <sup>rd</sup>	T <sup>0</sup> C rise by 2,1-3,0°C	2013 and 2016	2 years out of 12
4 <sup>th</sup>	T <sup>0</sup> C rise by 3,1-4,0°C	2006, 2007, 2008, 2015, 2017	5 years out of 12

According to the results of accepted gradation, the following was revealed: By the first gradation, the change in average, daily air temperature in all years of research did not exceed 1 °C. There was not a single year when temperature exceeded the typical long-term average air temperature of the research area ( $t = 7.7$  °C), which proves the reliability of global climate change in conditions of our research in southeast Kazakhstan.

The second gradation includes years 2009, 2010, 2011, 2012, 2014 of research with an increase in air temperature from 1.1 °C to 2.0 °C. Climate change refers to the third gradation: 2 years out of 12 years - these are 2013 and 2016 with an increase in the average daily air temperature from 2.1 °C to 3.0 °C. The fourth gradation has climate change, which includes the largest anomalous number of years - 5 of 12 years - these are 2006, 2007, 2008, 2015 and 2017 with an increase in the average daily air temperature from 3.1 °C to 4.0 °C. The obtained results of climate change justification prove general and rapid tendency of climate change, where “warming with increasing aridity” was revealed, out of the 12 years examined, arid were 8 - these are 2006, 2007, 2008, 2009, 2014, 2015, 2016 and 2017.

Thus, during the years of study in south-east of Kazakhstan, the change in average daily air temperature was at risk and was characterized by an anomalous average annual temperature. In all years of our 12-year survey, the air temperature was higher than the average long-term level of warming, of which 4 years the temperature exceeded the norm from 1.5 and 1.8 °C and 8 years - from 2.1 °C to 4 °C, which indicates an abnormal situation and have high risk of oilseed cultivation in the agricultural zone of southeast Kazakhstan (table 3).


Table 3 – Climatic changes by parameters of air temperature during winter periods in years of research,  $t$  °C

Research years	Winter air temperature by months			Average daily $t^{\circ}\text{C}$ during winter period	$t^{\circ}\text{C}$ changes in comparison with multiple-year data
	December	January	February		
2006	-6,7	-6,4	-1,7	- 4,9	+ 4,1
2007	-6,7	-3,7	0,4	-7,9	+ 1,1
2008	-5,9	-10,4	-4,2	-6,7	+ 2,3
2009	-4,2	-3,3	-2,2	-3,6	+ 5,4
2010	-2,8	- 2,5	-5,9	-3,7	+5,3
2011	-2,7	-9,8	-3,7	-5,4	+ 3,6
2012	-6,1	-10,2	-6,0	-7,4	+ 1,6
2013	-13,6	-9,6	-8,8	-10,7	Cold winter
2014	-3,5	-4,3	-13,6	-7,1	+ 1,9
2015	-3,3	-2,5	+1,1	-1,6	+ 7,4
2016	4,8	0,2	0,0	-1,7	+ 7,3
2017	-4,4	-2,8	1,8	-1,8	+ 6,2
Average winter $t^{\circ}\text{C}$ over multiple years	-7,6	-10,8	-8,5	- 9,0	

While justify the “climate-agriculture system”, we have revealed that climate as a natural resource (average annual air temperature) undergoes a sharp change in all years of research. Along with this, the widespread occurrence of abnormally warm winters was established. During the years of research, a pattern of changes in air temperature over the winter period was revealed. The consequences of climate change are felt in our country more clearly based on the data of the average daily air temperature, especially during the winter period. Since the beginning of the XXI century (2006), there has been a sharp increase in the  $t^{\circ}\text{C}$  of air in the winter months. For example, in the month of December, the average daily air temperature in the years of the study increases from -7.6 °C (Wed. mn. years.data) to -2.7 °C, and in some years the air temperature is characterized by a plus value, the average monthly temperature of the air warms up to an average of + 4.8 °C. In the years of research (2006-2017), the average daily  $t^{\circ}\text{C}$  of air for the winter period increased to 7.4 °C and 1.6 °C with a typical-characteristic value of the average daily air temperature, which is equal to = 9.0 °C.



During the years of our research, the parameters of air temperatures in the winter period had changed, in December for all years of study air temperatures decreased from  $-2.7^{\circ}\text{C}$  to  $-6.7^{\circ}\text{C}$ , in January air temperature dropped from  $-10.4^{\circ}\text{C}$  to  $+0.2^{\circ}\text{C}$  and in February air temperature dropped from  $-8.8^{\circ}\text{C}$  to  $+1.8^{\circ}\text{C}$  (with an average annual temperature of  $-7.6^{\circ}\text{C}$ ), except for one year 2013 (figure).



Climatic changes in parameters of air temperature during winter periods of research years,  $t^{\circ}\text{C}$

In January, an increase in winter air temperature caused a decrease in snow cover. For February, 6 out of 12 research years were characterized by an abnormally elevated temperature values, especially years 2006 ( $-1.7^{\circ}\text{C}$ ), 2007 ( $0.4^{\circ}\text{C}$ ), 2015 ( $+1.1^{\circ}\text{C}$ ), 2016 ( $0^{\circ}\text{C}$ ), and 2017 ( $-1.8^{\circ}\text{C}$ ). Based on the results of our study, it was revealed that warming of winter season conditions accelerated, the average daily temperature during winter months' season increased from  $1.1^{\circ}\text{C}$  to  $7.4^{\circ}\text{C}$  and is characterized by frequent thaws.

The frequency of abnormally warm winters in conditions of Almaty region increased to 50% in years of research. The climate is also characterized by increased repeatability, abnormally summer drought occurrence rose up to 67%. At the same time, risky climate change environment and the influence of accelerated changes in climate parameters over 12 years is becoming very dangerous, associated with a sharp decrease in crop yields. Thus, the current state of climate change may lead the southeast agricultural region to face completely unforeseen and severe restrictions in form of increased aridity of territories, which will lead to instability of agricultural sector of the Almaty region. The increase in probability of low yields as a result of an increase in frequency of warming in winter and the recurrence of drought during warm period over the years of research can be dangerous.

Therefore, adaptation of oilseed cultivation technology to climate change is an important principle in development of the agricultural sector in these new conditions. To make the agricultural sector of Almaty region sustainable, we studied measures to combat drought: - methods of soil protection technologies, such as minimizing the technogenic impact of soil cultivation system and their effect on productivity of oilseeds.

While studying the influence of soil-protective technology methods for oilseeds cultivation, we found that productivity is directly dependent on climate change. Oilseeds in less arid 2016, where air temperature changes were within the range of  $t$  - for soybean sowing  $-1.40^{\circ}\text{C}$  and for sowing rapeseed  $1.1^{\circ}\text{C}$ , with the traditional technology of soybean cultivation are respectively  $25.8\text{ c/ha}$  and with rapeseed  $16.3\text{ c/ha}$ .

Based on the obtained results, the effectiveness of soil-protective techniques for cultivation of soy and rapeseed was determined depending on influence of emerging climatic conditions.

The effectiveness of the use of soil protection methods of soil treatment with resource-saving technology of oilseeds cultivation in the agricultural ecosystem was revealed. The regularity of positive changes in the soil fertility of the arable soil layer as a result of the use of soil protection minimal technology (Mini-till), which provides an increase in the quality of the soil resource and the restoration of agrophysical factors of soil fertility [22].

Under crops of cultivated plants, the ecological situation of plant growth and development is optimized and productivity is significantly increased (table 4).

Table 4 – Oilseed productivity depending on changes in air temperature, t°C with soil-protective soil cultivation technology (in research years 2015-2017)

Technology		Research years	For soy cultivation			For rape cultivation		
			Ave. daily t°C over vegetation	Air t°C change comparing to multiple year t°C	Yield, c/ha	Ave. daily t°C over vegetation	Air t°C change comparing to multiple year t°C	Yield, c/ha
Traditional technology – Tillage for depth of 20-22 cm		2015	22,8	+ 2,9	23,9	21,5	+ 2,7	14,7
		2016	21,3	+ 1,4	25,8	19,9	+ 1,1	16,3
		2017	22,8	+ 2,9	24,5	21,5	+ 2,7	14,1
		average	19,9		24,7	18,8		15,0
Resource-saving	Flat-cut 16-18 cm + herbicide	2015	22,8	+ 2,9	29,1	21,5	+ 2,7	21,3
		2016	21,3	+ 1,4	27,7	19,9	+ 1,1	20,6
		2017	22,8	+ 2,9	28,9	21,5	+ 2,7	19,7
		average	19,9		28,6	18,8		20,5
	Flat-cut 12-14 cm + impulse	2015	22,8	+ 2,9	27,5	21,5	+ 2,7	19,7
		2016	21,3	+ 1,4	27,6	19,9	+ 1,1	18,9
		2017	22,8	+ 2,9	28,2	21,5	+ 2,7	19,4
		average	19,9		27,8	18,8		19,3

With soil-protective resource- saving technology of cultivation during research years, the yield of soy and rapeseed was higher, 27.7 kg / ha and 20.6 kg / ha respectively. The same trend was revealed in drier years of 2015 and 2017, with increase in air temperature - by 2.90 ° C and 2.70 ° C, which had a depressing effect on crop productivity, with yields reduced for soybeans to 23.9-24.5 kg / ha, and for rapeseed up to 14.1-14.7 kg / ha with traditional technology. After applying soil-protective soil cultivation technology, soybean productivity rose from 23.9 c / ha to 29.1 c / ha and rapeseed - from 14.1 c / ha to 21.3 c / ha.

Thus, in case of soil-protective treatment of soybean and rapeseed oilseed cultivation technologies in dry years (2015, 2017), the prevailing optimal conditions for growth and development of crop reduce inhibitory effects of climate change and provide an increase for soybean yield up to 28.9-29.1 c / ha (on average by 23.8%) and for rapeseed to 19.1-21.3 kg / ha (on average by 34.5%) with a change in average daily temperature of the vegetation period at sowing soy by 2.9 ° C and by 2.7 ° C for sowing rapeseed. The results obtained indicate the adaptation of cultivated conditions of studied crops to this global climate change and agroecosystem's environment of southeast Kazakhstan.

**Conclusion.** At the present stage, in south-east of Kazakhstan, as well as throughout the world, the most problematic events related to climate are global warming, changes in climatic parameters, aggravation of agroecosystems' ecological situation, which mark these environmental problems as a risk for agricultural production. It was established that the average annual air temperature exceeds the average-summer value and varies between 8.80 ° C and 11.7 ° C with an average multi-year temperature of 7.70 ° C. In a 12-year study, changes in air temperature were higher than the global average long-term level of warming, of which during 4 years the temperature exceeded norm values from 1.5 to 2.0 ° C and during 8 years - from 2.1 ° C to 4 ° C, which indicates an abnormal situation and high risk for oilseeds cultivation in agricultural zone of southeast Kazakhstan.

The average annual air temperature in some years increases from 3.5 °C to 4 °C in comparison with the average long-term air temperature. 8 years out of studied 12 years were the driest. The results obtained substantiating climate change prove general and rapid tendency of climate change, where “warming with increasing aridity” was revealed. It was revealed that warming of winter conditions accelerated, the average daily air temperature in winter months increased from 1.1 °C to 7.4 °C and is characterized by frequent thaws. The frequency of abnormally warm winters in Almaty region conditions increased to 50% and abnormally summer drought to 67%. Such a climate change and the impact of accelerated changes in climate parameters just in 12 years of study poses unambiguous risk to environment.

In such new risky conditions, adaptation of studied crops' cultivation technology to climate change is an important and only principle for developing agricultural sector in south eastern Kazakhstan. The effectiveness of soil-protective methods of oilseed cultivation technology was determined and the pattern of a positive change in composition of soil's arable layer as a result of using soil-protective minimal technology (Mini-till), which provides increase in soil quality indicators and restoration of soil fertility's agrophysical factors was revealed. Soil-protective methods of soil treatment optimize agro ecosystem's ecological situation, especially in dry years, where optimal conditions for growth, crop development are created, depressing effects of climate change and soybean productivity are reduced to 28.9-29.1 kg / ha (an average of 23.8%) and rapeseed up to 19.1-21.3 kg / ha (average 34.5%). The obtained results indicate adaptation of studied crops' cultivation conditions to climate change and to the environment of southeast Kazakhstan's agro ecosystem.

**Н. Ш. Сулейменова<sup>1</sup>, Д. В. Калыков<sup>1</sup>, М. Филипова<sup>2</sup>, Г. Орынбасарова<sup>1</sup>**

<sup>1</sup>Қазақ ұлттық аграрлық университеті, Алматы, Қазақстан;

<sup>2</sup>Ангел Кынчев атындағы Русе университеті, Русе, Болгария

### **КЛИМАТ ӨЗГЕРІСІ ЖӘНЕ АГРОЭКОЖҮЙЕНІҢ ЭКОЛОГИЯЛЫҚ МӘСЕЛЕЛЕРІНІҢ ШИЕЛЕНІСУІ**

**Аннотация.** Мақалада зерттеу мақсатына қол жеткізу үшін зерттеудің екі бағыты қарастырылды: біріншісі, климаттық параметрлердің өзгеру әсерін бағалауға байланысты, екіншісі, агроэкожүйенің экологиялық мәселелерінің шиеленісуі мен климаттың өзгеруіне бейімделу мәселесін шешу мүмкіндігі. 12 жылдық зерттеудегі қол жеткізген эксперименттік мәліметтерге байланысты алғаш рет Қазақстанның Оңтүстік-шығыс жағдайында климаттың өзгеру параметрлерінің өнімге әсері бағаланып, агроэкожүйенің экологиялық мәселелерінің шиеленісуіне байланысты экожүйенің климаттың қарқынды өзгерісіне бейімделу мәселесін шешу мүмкіндігі анықталды.

Ауылшаруашылығын климаттық өзгерістерге бейімдеу және аграрлық өндірістің тұрақтылығын арттыру барысында топырақ қорғау технологиялары, топыраққа техногенді әсерді азайту және ресурс үнемдеуші технология тәсілдерінің майлы дақыл өнімділігіне әсері, құрғақшылыққа қарсы күрес жөніндегі шаралар зерттелді. Алынған нәтижелер негізінде зерттеу жылдарында қалыптасқан климаттық жағдайлардың әсеріне байланысты майбұршақ пен рапс дақылын өсіру технологиясының, топырақ қорғау тәсілдерінің оңтайлы тиімділігі анықталды.

Ауа температурасы жоғары болған жылдары құрғақшылық қаупін жеңілдететін майлы дақылдарды өсірудің топырақ қорғау технологиясын қолдануға байланысты майбұршақ пен рапс агрофитоценоздарының экологиялық жағдайын жақсартудың ғылыми негіздері белгіленді. Климат өзгерісі туралы мәліметтер негізінде климат өзгерісінің жалпы және күрт үрдісі анықталып, әсіресе, жазғы кезеңде «жоғары дәрежелі жылытуда құрғақшылық арта түсетіндігі» байқалды. Қысқы мезгілде климаттық жылылықтың үдей түсуі айқындалып, қысқы айлардың орташа тәуліктік ауа температурасы 1,1 °C-дан 7,4 °C-ға дейін көтеріліп, жиі жылынатын кезеңдер сипатталды. Алматы облысы жағдайында қыстық кезеңде аномалды жылыну өзгерістерінің қайталануы 50%-ға дейін және жазғы кезеңде аномалды құрғақшылық 67%-ға дейін артатындығы дәлелденді. Ауылшаруашылығы экожүйесінде майлы дақылдарды өсірудің ресурс үнемдейтін технологиясы арқылы топырақ қорғау тәсілін қолданудың тиімділігі анықталды. Топырақты қорғау (Mini-till) технологиясын пайдалану нәтижесінде топырақ құнарлығы ресурстары мен топырақтың агрофизикалық факторлары қалпына келтіруді қамтамасыз ету жағдайы негізделіп, топырақтың жыртылған қабатының құнарлығының оңтайлы өзгеру заңдылықтары анықталды. Бұл заңдылыққа байланысты егістегі дақылдардың өсуі мен дамуының экологиялық жағдайы оңтайланып, майбұршақ пен рапс дақылының өнімділігі артады.

**Түйін сөздер:** климат, табиғи ресурстар, климаттың өзгеруі, қауіп, ауылшаруашылығы, бейімделу, технология.

Н. Ш. Сулейменова<sup>1</sup>, Д. Б. Калыков<sup>1</sup>, М. Флипова<sup>2</sup>, Г. Орынбасарова<sup>1</sup>

<sup>1</sup>Казахский национальный аграрный университет, Алматы, Казахстан;

<sup>2</sup>Русенский университет им. Ангела Кынчева, Русе, Болгария

### ИЗМЕНЕНИЕ КЛИМАТА И ОБОСТРЕНИЕ ЭКОЛОГИЧЕСКИХ ПРОБЛЕМ АГРОЭКОСИСТЕМЫ

**Аннотация.** В данной статье для достижения цели исследований сформировано два направления исследования: - одно связано с оценкой влияния изменений климатических параметров; - второе – с обострением экологических проблем агроэкосистемы и возможностью решения проблемы адаптации к изменениям климата. Даны *экспериментальные результаты, на основе 12-летних исследований*, впервые дана оценка влияния изменений климатических параметров на продуктивность, выявлено обострение экологических проблем агроэкосистемы и возможность решения проблемы адаптации к высоким изменениям климата в условиях юго-востока Казахстана.

Для адаптации сельского хозяйства к климатическим изменениям и повышению устойчивости аграрного производства среди целесообразных мероприятий изучены меры по борьбе с засухой: - почвозащитные технологии, - минимизация техногенного воздействия на почву и влияние приемов ресурсосберегающей технологии на продуктивность масличных культур. На основе полученных результатов определена положительная эффективность почвозащитных приемов технологии возделывания сои и рапса в зависимости от влияния складывающихся климатических условий в годы исследования.

Установлены научные основы улучшения экологической обстановки агрофитоценоза сои и рапса в зависимости от применения почвозащитных технологий возделывания масличных культур, которые смягчают риск засухи в годы с высоким повышением температуры воздуха. Обоснование изменения климата доказывает общую и резкую тенденцию изменения климата, где выявлено «потепление с усилением засушливости» в летний период. Выявлено, что потепление зимних условий ускорилось, среднесуточная температура воздуха зимних месяцев повысилась от 1,1 до 7,4°C и характеризуется частыми оттепелями. Участилась повторяемость аномально теплых зим в условиях Алматинской области до 50% и аномально летней засухи до 67%. Выявлена эффективность применения почвозащитных методов обработки почвы при ресурсосберегающей технологии возделывания масличных культур в сельскохозяйственной экосистеме. Установлена закономерность положительных изменений плодородия почвы пахотного слоя почвы в результате использования почвозащитной минимальной технологии (Mini-till), обеспечивающей повышение плодородия почвенного ресурса и восстановление агрофизических факторов почвы. Под посевы культивируемых растений оптимизируется экологическая обстановка роста и развития культур и значительно повышается продуктивность сои и рапса.

**Ключевые слова:** климат, природный ресурс, изменение климата, риск, сельское хозяйство, адаптация, технология.

#### Information about authors:

Suleimenova Nazia Shukenovna, doctor of agricultural sciences, professor, Kazakh National Agrarian University, Almaty, Kazakhstan; naziya44@gmail.com; <https://orcid.org/0000-0002-3458-3799>

Kalykov D., PhD student, Kazakh National Agrarian University, Almaty, Kazakhstan; 2773477@mail.ru; <https://orcid.org/0000-0001-8768-086X>

Filipova Margaritka, PhD Associate Professor, Angel Kanchev University of Ruse, Bulgaria; mfilipova@uniruse.bg; <https://orcid.org/0000-0003-1407-6041>

Orynbasarova Gulnar, PhD student; gulnar.86\_27@mail.ru; <https://orcid.org/0000-0003-4965-9108>

#### REFERENCES

- [1] Shelamova N.A. (2013) The impact of climate change on agriculture: [overview] / N. A. Shelamova; Rus. Acad. of Agr. Sciences, State Sci&Res All-Russian Institute of Agricultural Economy: M. 81 p. (in Russ.).
- [2] Volodin E.M., Diansky N.A., Gusev A.V. (2013) Reproduction and forecast of climatic changes in 19-21 centuries using the model of the Earth's climate system // Tidings of the Russian Academy of Sciences. Physics of atmosphere and ocean. N 4. P. 379-400 (in Russ.).
- [3] Ivanova A.L., Kiryushina V.I. (2009) Global climate change and forecast of risks in Russian agriculture // ed. A.L. Ivanova, V.I. Kiryushin. M. 2009 (in Russ.).
- [4] Schwartz E.A., Kokorin A.O. WWF Project on the Effects of Climate Change on Ecosystems // The Impact of Climate Change on Ecosystems. M., 2001 (in Russ.).

[5] Ivanov A.L. et al (2004) Global manifestations of climate change in the agricultural sector // [Ivanov A.L., Sirotenko O.D., Aleksakhin R.M. and etc.] under the editorship of A.L. Ivanov // *Rus. Acad. Agr. Sciences: M.: [Russian Agricultural Academy]*, 2004. 332 p. (in Russ.).

[6] Kattsov V.M., Kobysheva N.V., Meleshko V.P., Porfiriyev B.N., Revich B.A. (2011) Assessment of the macroeconomic consequences of climate change in Russian Federation for the period up to 2030 and the future perspective / Ed. by V.M. Kattsova, M., 250 p. (in Russ.).

[7] Cline William R. (2007) *Global Warming and Agriculture: Impact Estimates by Country* (Washington: Center for Global Development and Peterson Institute for International Economics).

[8] Kenenbayev S.B., Didorenko S.V., Kalashnikov P.A. (2019) The effect of irrigation regime on the yield of soybean in the South and South-East of Kazakhstan // *Journal Tidings of the NAS RK. Almaty*, N 3 (51). P. 20-26.

[9] Gruza G.V., Rankova E.Ya. (2003) Oscillations and climate change in Russia / G.V. Gruza, E.I Rankova // *News of the Russian Academy of Sciences*, 2003. N 2. T. 39. P. 166-185 (in Russ.).

[10] Bautin V.M. (2011) *Adaptation of Russian agriculture to changing weather and climate conditions: collection of reports of the International scientific and practical conference / under the general. ed. of corresponding members: M.: Publishing House of the Russian State Agrarian University - MSAU*, 2011. 183 p. (in Russ.).

[11] *Agrarian News of Kazakhstan* (2013) Climate change is one of the main threats to the agricultural sector of Kazakhstan. <https://kazakh-zerno.net/novosti/agrarnye-novosti-kazakhstana/> (in Russ.).

[12] Suleimenova Naziya, Filipova Margarita, Kuandykova Elnara, Orynbasarova Gulnar, Zholamanov Kuanish, Erzhanova Kenzhe (2019) Ecological aspects of agroecosystems of soybean in the conditions of the South-east of Kazakhstan at climate change // 22 nd International symposium “The environment and the industry”, SIMI 2019, Proceedings book, Bucharest, Romania. September 26-27, 2019. P. 175-183.

[13] Suleimenova Naziya, Makhamedova Baglan, Orynbasarova Gulnar, Kalykov Dastan, Yertayeva Zhainagul (2019) Impact of Resource Conserving Technologies (RCT) on soil physical properties and rapeseed (*Brassica napus* L.) yield in irrigated agriculture areas of the South-Eastern Kazakhstan. DOI:10.18393/ejss.510686 // *EURASIAN JOURNAL OF SOIL SCIENCE (EJSS)*. Vol. 8, Issue 1. 2019. P. 289-301.

[14] Saparov, A. (2014) Soil Resources of the Republic of Kazakhstan: Current Status, Problems and Solutions. In: *Novel Measurement and Assessment Tools for Monitoring and Management of Land and Water Resources in Agricultural Landscapes of Central Asia*. L. Mueller, A. Saparov, Lischeid, G., (Eds.). Environmental Science and Engineering. Springer International Publishing. Switzerland. P. 61-73.

[15] Eleshev R.E., etc. (2014). *Agrochemistry practicum*. Almaty, 264 p. (in Russ.).

[16] *Methodology for conducting field agrotechnical experiments with oilseeds / ed. by V.M. Lukomets*. Krasnodar: VNIIMK, 2007. 112 p. (in Russ.).

[17] Kiryushin B.D., Usmanov P.P., Vasiliev I.P. (2009). *Fundamentals of scientific research in agronomy*. M.: KolosS, 398 p. (in Russ.).

[18] Ivanov V.A. (2008) Methodological foundations of agricultural sector’s innovative development // *Economic and social changes: facts, trends, forecast*. N 2. P. 17-19 (in Russ.).

[19] Program and methodology for conducting scientific research (according to the International Coordination Program for S&R by Russian Agricultural Academy) of the RAAS. GNU VNII of fourage after. V.R. Williams. M.: FGU RCSC, 2011. 192 p. (in Russ.).

[20] Novikov A.M., Novikov D.A. (2010) *Methodology of scientific research*. M.: Librocom, 280. 38 p. (in Russ.).

[21] *Guidelines for assessing the effectiveness of investment projects*. M.: Economics. 2000. 421 p. (in Russ.).

[22] Suleimenova N.Sh., Kuandykova E.M., Filipova M. (2019) Innovative technologies of soybean cultivation // *News of the National Academy of sciences the Republic of Kazakhstan, series of agricultural sciences*. Vol. 5, N 47 (2018) 5–11. ISSN 2224-526X. <https://doi.org/10.32014/2018.2224-526X.1>

## **Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz)

<http://agricultural.kz/index.php/en/>

Редактор *М. С. Ахметова, Д. С. Аленов, А. Ахметова*  
Верстка на компьютере *Д. А. Абдрахимовой*

Подписано в печать 15.08.2020.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.  
3,5 п.л. Тираж 300. Заказ 4.