

ISSN 2224-526X

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

ҚАЗАҚ ҰЛТТЫҚ АГРАРЛЫҚ УНИВЕРСИТЕТИ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

КАЗАХСКИЙ НАЦИОНАЛЬНЫЙ
АГРАРНЫЙ УНИВЕРСИТЕТ

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

KAZAKH NATIONAL
AGRARIAN UNIVERSITY

АГРАРЛЫҚ ҒЫЛЫМДАР СЕРИЯСЫ



СЕРИЯ АГРАРНЫХ НАУК



SERIES OF AGRICULTURAL SCIENCES

4 (46)

ШІЛДЕ – ТАМЫЗ 2018 ж.

ИЮЛЬ – АВГУСТ 2018 г.

JULY – AUGUST 2018

2011 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН

ИЗДАЕТСЯ С ЯНВАРЯ 2011 ГОДА

PUBLISHED SINCE JANUARY 2011

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ

ВЫХОДИТ 6 РАЗ В ГОД

PUBLISHED 6 TIMES A YEAR

Б а с р е д а к т о р

Есполов Т.И.,

э.ғ.д, профессор,

ҚР ҰҒА академигі және вице-президенті

Р е д а к ц и я а л қ а с ы:

Байзақов С.Б., э.ғ.д, проф., ҚР ҰҒА академигі (бас редактордың орынбасары); **Тиреуов К.М.**, э.ғ.д, проф., ҚР ҰҒА академигі (бас редактордың орынбасары); **Елешев Р.Е.**, т.ғ.д., проф., ҚР ҰҒА академигі; **Рау А.Г.**, т.ғ.д., проф., ҚР ҰҒА академигі; **Иванов Н.П.**, в.ғ.д, проф., ҚР ҰҒА академигі; **Кешуов С.А.**, т.ғ.д., проф., ҚР ҰҒА академигі; **Мелдебеков А.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Чоманов У.Ч.**, т.ғ.д., проф., ҚР ҰҒА академигі; **Елюбаев С.З.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Садыкулов Т.**, а.ш.ғ.д., проф., академигі; **Баймұқанов Д.А.**, а.ш.ғ.д., проф., ҚР ҰҒА корр-мүшесі; **Сансызбай А.Р.**, а.ш.ғ.д., проф., ҚР ҰҒА корр-мүшесі; **Умбетаев И.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Оспанов С.Р.**, а.ш.ғ.д., проф., ҚР ҰҒА құрметті мүшесі; **Олейченко С.И.**, а.ш.ғ.д., проф.; **Кененбаев С.Б.**, а.ш.ғ.д., проф., ҚР ҰҒА корр-мүшесі; **Омбаев А.М.**, а.ш.ғ.д., проф. ҚР ҰҒА корр-мүшесі; **Молдашев А.Б.**, э.ғ.д., проф., ҚР ҰҒА құрметті мүшесі; **Сагитов А.О.**, б.ғ.д., ҚР ҰҒА академигі; **Сапаров А.С.**, а.ш.ғ.д., проф., ҚР АШҒА академигі; **Балгабаев Н.Н.**, а.ш.ғ.д., проф.; **Умирзаков С.И.**, т.ғ.д, проф.; **Султанов А.А.**, в.ғ.д., проф., ҚР АШҒА академигі; **Алимкулов Ж.С.**, т.ғ.д., проф., ҚР АШҒА академигі; **Сарсембаева Н.Б.**, в.ғ.д., проф.

Р е д а к ц и я к е ñ е с і:

Fasler-Kan Elizaveta, Dr., University of asel Switzeland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malaysia; **Hesseln Hayley Fawn**, As. Prof., University of Saskatchewan, Canada; **Alex Morgounov**, Pr., International Maize and Wheat Improvement Center Turkey; **Андреш С.**, Молдова Республикасы ҰҒА академигі; **Гаврилюк Н.Н.**, Украина ҰҒА академигі; **Герасимович Л.С.**, Беларусь Республикасының ҰҒА академигі; **Мамедов Г.**, Азербайжан Республикасының ҰҒА академигі; **Шейко И.П.**, Беларусь Республикасының ҰҒА академигі; **Жалнин Э.В.**, т.ғ.д., проф., Ресей; **Боинчан Б.**, а.ш.ғ.д, проф., Молдова Республикасы; **Юлдашбаев Ю.А.**, а.ш.ғ.д, проф., РФА корр-мүшесі, Ресей.

Главный редактор

Есполов Т.И.,

доктор эконом. наук, проф.,
вице-президент и академик НАН РК

Редакционная коллегия:

Байзаков С.Б., доктор эконом. наук, проф., академик НАН РК (заместитель главного редактора); **Тиреуов К.М.**, доктор эконом. наук, проф., академик НАН РК (заместитель главного редактора); **Елешев Р.Е.**, доктор техн. наук, проф., академик НАН РК; **Рау А.Г.**, доктор техн. наук, проф., академик НАН РК; **Иванов Н.П.**, доктор ветеринар. наук, проф., академик НАН РК; **Кешуов С.А.**, доктор техн. наук, проф., академик НАН РК; **Мелдебеков А.**, доктор сельхоз. наук, проф., академик НАН РК; **Чоманов У.Ч.**, доктор техн. наук, проф., академик НАН РК; **Елюбаев С.З.**, доктор сельхоз. наук, проф., академик НАН РК; **Садыкулов Т.**, доктор сельхоз. наук, проф., академик НАН РК; **Баймуқанов Д.А.**, доктор сельхоз. наук, проф., член-корр. НАН РК; **Сансызбай А.Р.**, доктор сельхоз. наук, проф., член-корр. НАН РК; **Умбетаев И.**, доктор сельхоз. наук, проф., академик НАН РК; **Оспанов С.Р.**, доктор сельхоз. наук, проф., Почетный член НАН РК; **Олейченко С.И.**, доктор сельхоз. наук, проф.; **Кененбаев С.Б.**, доктор сельхоз. наук, проф., член-корр. НАН РК; **Омбаев А.М.**, доктор сельхоз. наук, проф член-корр. НАН РК.; **Молдашев А.Б.**, доктор эконом. наук, проф., Почетный член НАН РК; **Сагитов А.О.**, доктор биол. наук, академик НАН РК; **Сапаров А.С.**, доктор сельхоз. наук, проф., академик АСХН РК; **Балгабаев Н.Н.**, доктор сельхоз. наук, проф.; **Умирзаков С.И.**, доктор техн. наук, проф.; **Султанов А.А.**, доктор ветеринар. наук, проф., академик АСХН РК; **Алимкулов Ж.С.**, доктор техн. наук, проф., академик АСХН РК; **Сарсембаева Н.Б.**, доктор ветеринар. наук, проф.

Редакционный совет:

Fasler-Kan Elizaveta, Dr., University of asel Switzeland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malaysia; **Hesseln Hayley Fawn**, As.Prof., University of Saskatchewan, Canada; **Alex Morgounov**, Pr., International Maize and Wheat Improvement Center Turkey; **Андреш С.**, академик НАН Республики Молдова; **Гаврилюк Н.Н.**, академик НАН Украины; **Герасимович Л.С.**, академик НАН Республики Беларусь; **Мамедов Г.**, академик НАН Республики Азербайджан; **Шейко И.П.**, академик НАН Республики Беларусь; **Жалнин Э.В.**, доктор техн. наук, проф., Россия; **Боинчан Б.**, доктор сельхоз. наук, проф., Республика Молдова; **Юлдашбаев Ю.А.**, доктор сельхоз. наук, проф., член-корр. РАН, Россия.

Известия Национальной академии наук Республики Казахстан. Серия аграрных наук.

ISSN 2224-526X

Собственник: ООО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан № 10895-Ж, выданное 30.04.2010 г.

Периодичность 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219-220, тел. 272-13-19, 272-13-18

<http://nauka-nanrk.kz/agricultural.kz>

© Национальная академия наук Республики Казахстан, 2018

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Chief Editor

Espolov T.I.,

Dr. economy. Sciences, prof.,
Vice President and academician of the NAS RK

Editorial Board:

Baizakov S.B., Dr. of economy sciences, prof., academician of NAS RK (deputy editor); **Tireuov K.M.**, Doctor of Economy Sciences., prof., academician of NAS RK (deputy editor); **Eleshev R.E.**, Dr. Of agricultural sciences, prof., academician of NAS RK; **Rau A.G.**, Dr. sciences, prof., academician of NAS RK; **Ivanov N.P.**, Dr. of veterinary sciences, prof., academician of NAS RK; **Keshuov S.A.**, Dr. sciences, prof., academician of NAS RK; **Meldebekov A.**, doctor of agricultural sciences, prof., academician of NAS RK; **Chomanov U.Ch.**, Dr. sciences, prof., academician of NAS RK; **Yelyubayev S.Z.**, Dr. of agricultural sciences, prof., academician of NAS RK; **Sadykulov T.**, Dr. Farm. Sciences, prof., academician of NAS RK; **Baimukanov D.A.**, doctor of agricultural sciences, prof., corresponding member NAS RK; **Sansyzbai A.R.**, doctor of agricultural sciences, prof., corresponding member NAS RK; **Umbetaev I.**, Dr. Farm. Sciences, prof., academician of NAS RK; **Ospanov S.R.**, Dr. agricultural sciences, prof., Honorary Member of NAS RK; **Oleychenko S.N.**, Dr. Of agricultural sciences, prof.; **Kenenbayev S.B.**, Dr. Agricultural sciences, prof., corresponding member NAS RK; **Ombayev A.M.**, Dr. Agricultural sciences, Prof. corresponding member NAS RK; **Moldashev A.B.**, Doctor of Economy sciences, prof., Honorary Member of NAS RK; **Sagitov A.O.**, Dr. biol. sciences, academician of NAS RK; **Saparov A.S.**, Doctor of agricultural sciences, prof., academician of NAS RK; **Balgabaev N.N.**, the doctor agricultural sciences, Prof.; **Umirzakov S.I.**, Dr. Sci. Sciences, Prof.; **Sultanov A.A.**, Dr. of veterinary sciences, prof., academician of the Academy of Agricultural Sciences of Kazakhstan; **Alimkulov J.C.**, Dr. of tekhncial sciences, prof., academician of the Academy of Agricultural sciences of Kazakhstan; **Sarsembayeva N.B.**, Dr. veterinary sciences, prof.

Editorial Board:

Fasler-Kan Elizaveta, Dr., University of Basel Switzzeland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malaysia; **Hesseln Hayley Fawn**, As. Prof., University of Saskatchewan, Canada; **Alex Morgounov**, candidate of agricultural sciences, International Maize and Wheat Improvement Center Turkey; **Andresh S.**, academician of NAS of Moldova; **Gavriluk N.N.**, academician of NAS of Ukraine; **Gerasimovich L.S.**, academician of NAS of Belorassia; **Mamadov G.**, academician of NAS of Azerbaijan; **Sheiko I.P.**, academician of NAS of Belorassia; **Zhalnin E.V.**, Dr. of technical sciences, professor, Russia, **Boinchan B.**, doctor of agricultural sciences, prof., Moldova; **Yuldashbayev Y.A.**, doctor of agricultural sciences, prof., corresponding member of RAS, Russia.

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of Agrarian Sciences.

ISSN 2224-526X

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10895-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of.219-220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/> agricultural.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF AGRICULTURAL SCIENCES

ISSN 2224-526X

Volume 4, Number 46 (2018), 13 – 16

UDC 633.2/3

**A. B. Nugmanov¹, N. A. Kikebaev²,
A. S. Tokusheva³, Z. K. Agibaeva², Dzidra Kreismane⁴**

¹Karabalyk agricultural station, Kostanay region, Kazakhstan,

²Kostanay Research Institute of Agriculture, Kostanay, Kazakhstan,

³Kazakh National Agrarian University, Almaty, Kazakhstan,

⁴Latvia University of Agriculture, Jelgava, Latvia.

E-mail: rgkp.karabalyk@mail.ru, sznpz@mail.ru, asel-tokusheva@mail.ru.

PRODUCTIVITY OF GRASS STANDS OF PERENNIAL GRASSES DEPENDING ON THE METHOD OF RECOVERY OF PASTURES

Abstract. In the article the data obtained during research on the experimental field of the Kostanay Research Institute of Agriculture. The article shows meteorological data for 2017, which was favorable for the growth and development of perennial forage crops. For the creation of cultural pastures, haymaking and pasture use areas, radical improvement of natural forage lands use grass mixtures. Creation of cultural pastures in the conditions of the steppe zone of Kostanay region by selecting the most productive fodder crops. Conclusions are drawn from the results of research on yield and nutrient content in the green mass of perennial grasses.

Keywords: fodder production, perennial grass, fodder crops, productivity, and pasture.

Introduction. In the Address of the President of the Republic of Kazakhstan to the people of Kazakhstan "Kazakhstan's Way 2050: Common Aim, Common Interests, Common Future", special attention is paid to the development of the agro-industrial complex and the transition to innovative technologies [1].

In Kazakhstan, the land fund covers an area of 272.49 million hectares, 222.24 million hectares of which are agricultural land, including: tilled area – 29.41 million hectares or 11%, hayfields – 5.16 million hectares and pastures – 187.55 million hectares, which is 71%.

Today, 61 million hectares of pastures are used on agricultural lands and 21 million hectares are used on the settlement lands out of 187.2 million hectares. The area of downed pastures is 26.5 million hectares, which corresponds to 16% of the total area of these lands.

The reason for the degradation of pastures around the settlements is their oversaturation with cattle. Due to that, the feed balance deterioration appears leading to an inability to increase the number of animals and their productivity. Another reason is the non-usage of the distant pasture cattle tending, that is, the lack of infrastructure [3-5].

Kostanay Research Institute of Agriculture is located in the second soil-climatic zone. It is arid steppe predominantly with southern low-humus chernozems. The climate is sharply continental: hot and dry summers, little snow cold winters.

The soil of the experimental site is thin black chernozem in a complex with solonetz up to 10%. The thickness of the humus horizon (A + B) is 41-45 cm. The humus content (according to Tyurin) in the arable horizon (0-30 cm) does not exceed 3%, the nitrogen is low (19.2 mg/kg), mobile phosphorus is average (28 mg/kg), potassium is increased (331 mg/kg soil).

According to the long-term data, the annual rainfall norm in the area of the experiment is 323 mm. Precipitation of the warm period (April-October) is 75.6% of the annual amount. Most of them fall in

the second half of the summer. Weather conditions in 2017: as compared with the long-term norm of 323 mm, the amount of precipitation was 343,2 mm. During the vegetation period of 2017, the amount of precipitation was 280.1 mm, which is more than the long-time average annual rate.

Plants of perennial grasses in mixed crops (legumes, grasses) wintered satisfactorily and began to vegetate in April, when the air temperature increased to 12.0 °C (II decade). Preservation of plants of perennial grasses after the winter period in mixed crops of leguminous grasses changed based on variants of experience.

The seeding of perennial grasses was carried out on the experimental plot at presence of moisture at a depth of 2-3 cm seeding: SKP-2,7 (anker openers with a row spacing of 27 cm); «Wintersteiger» (disc openers with a row spacing 15 cm). The experiment replication is 4-fold. Wet soil and its close contact with seeds of grasses, good copying of the landscape by the opener – all these factors positively influenced perennial grasses viability.

Mixed crops develop a large leaf surface and are characterized by a more even distribution of leaves height along. The height of fodder crops in grass mixtures was within the limits – 42-71 cm, legumes – 51-89 cm. the natural vegetation in the control was 43-47 cm (table 1).

Table 1 – Height of natural plants, fodder crops depending on the method of sowing

Alternation fodder crops according to options	Plants height, cm	
	Experiment 1 SKP-2,7 with a row spacing of 27 cm	Experiment 2 Wintersteiger with a row spacing 15 cm
Natural vegetation cereals (control)	47	43
Wheat grass + alfalfa + awnless brome	G-59 L-51 N-35	G-42 L-61 N-45
Wheat grass + sainfoin + awnless brome	G-61 L-85 N-58	G-53 L-65 N-60
Wheat grass + Eastern galega + awnless brome	G-71 L-83 N-59	G-57 L-80 N-61
<i>Note: G – arable grasses, L – arable leguminose grasses, N– natural vegetation.</i>		

Compared to the control (natural vegetation), the yield of green mass using SKP-2,7 (with a row spacing of 27 cm) increases 7 times, while Wintersteiger (with a row spacing 15 cm) – 5 times (table 2).

Table 2 – Comparative productivity of perennial grasses for improvement of pastures

Alternation fodder crops according to options	Dry weight yield, centners per hectare		Yield per 1 hectare			
			Fodder units, centners per hectare		Digestible protein, kg per hectare	
	SKP-2,7	Wintersteiger	SKP-2,7	Wintersteiger	SKP-2,7	Wintersteiger
Natural vegetation cereals (control)	1,7	1,7	1,1	1,1	0,08	0,08
Wheat grass + alfalfa + awnless brome	10,6	9,6	4,8	4,4	6,0	5,8
Wheat grass + sainfoin + awnless brome	10,0	10,1	4,5	4,6	5,7	6,2
Wheat grass + Eastern galega + awnless brome	10,8	9,8	4,9	4,4	6,1	5,4
LSD _{0,5}	1,7	1,5				

Based on the research findings that the greatest productivity of dry weight mass was obtained on the variants: SKP-2,7 (with a row spacing of 27 cm) Wheat grass + Eastern galega + awnless brome – 10,8 centners per hectare, Wintersteiger (with a row spacing 15 cm) Wheat grass + sainfoin + awnless brome – 10,1 centners per hectare.

Conclusion. The effectiveness of any technology for herbs seeding into the sod layer will depend mainly on the provision of best conditions for the germination of grass seeds and the survival of new plants in competition with the natural herbage for moisture, light and nutrients. The dermina helps in autumn and winter periods to accumulate moisture in the soil, since the roots of dead plants are good stabilizers that do not allow low temperatures to break the upper root zone, these factors have a positive effect on wintering of perennials. In the Republic of Kazakhstan, there is huge potential for the development of natural pasture grounds, which is insufficiently used to create a sustainable fodder base and to obtain environmentally friendly and cheap livestock products.

REFERENCES

- [1] Nazarbayev N.A. (2014, January 18). Kazakhstanskii put-2050: Edinaya tsel, edinye interesy, edinoe budushchee. Poslanie Prezidenta Respubliki Kazakhstan ot 17 yanvarya 2014 goda, Astana [Kazakhstan's Way 2050: Common Aim, Common Interests, Common Future. The Address of the President of the Republic of Kazakhstan of January 17, 2014, Astana]. Kazakhstanskaya pravda, 11(27632).
- [2] Programma po razvitiyu agropromyshlennogo kompleksa v Respublike Kazakhstan na 2013-2020 gody "Agrobiznes – 2020" [Program for the Development of the Agroindustrial Complex in the Republic of Kazakhstan for 2013-2020 "Agrobusiness – 2020"]. (2013, February 18). Approved by the Resolution of the Government of the Republic of Kazakhstan No. 151.
- [3] Duisebaev G. (2016). Spasti pastbishchnyi potentsial [Saving Pasture Potential]. KAZpravda.
- [4] Nasiev B.N., Zhiengaliev A. (2014). Monitoring faktorov i protsessov degradatsii pochvennogo pokrova kormovykh ugodii polupustynnoi zony [Monitoring of Factors and Processes of Fodder Lands Soil Degradation of Semi-Desert Zone]. In Opustynivanie Tsentralnoi Azii: otsenka, prognoz, upravlenie: Materialy mezhdunarodnoi nauchno-prakticheskoi konferentsii [Desertification of Central Asia: Assessment, Forecast, Management: Proceedings of International Scientific and Practical Conference] (pp. 374-378). Astana: Institute of Geography, Nazarbayev University.
- [5] Ismukanova G.Zh., Merzlyakov O.E. (2013). Vliyanie intensivnogo zemledeliya na degradatsionnye izmeneniya pochv Severnogo Kazakhstana [Intensive Agriculture Impact on Degradation Changes in Soils of North Kazakhstan]. Vestnik Tomskogo gosudarstvennogo universiteta, 377, 187-191.

А. Б. Нугманов¹, Н. А. Кикебаев²,
А. С. Токушева², З. К. Агибаева², Дзидра Крейшмане⁴

¹«Қарабалық ауылшаруашылық тәжірибе станциясы» ЖШС,
Қостанай облысы, Қазақстан,

²«Қостанай ауылшаруашылық ғылыми-зерттеу институты» ЖШС,
Қостанай, Қазақстан,

³Қазақ ұлттық аграрлық университеті, Алматы, Қазақстан,

⁴Латвия ауылшаруашылық университеті, Елгава, Латвия

КӨПЖЫЛДЫҚ ШӨПТЕРДІҢ ӨНІМДІЛІГІ ЖАЙЫЛЫМНЫҢ ҚАЛПЫНА КЕЛУ ТӘСІЛІНЕ БАЙЛАНЫСТЫ

Аннотация. Мақалада Қостанай ауылшаруашылығы ғылыми-зерттеу институтының тәжірибе бойынша зерттеулер барысында алынған мәліметтер көрсетілген. Мақалада көпжылдық жем-шөп дақылдарының өсімі мен дамуына қолайлы болған 2017 жылға арналған метеорологиялық деректер көрсетілген. Мәдени жайылымдарды, шабындықтарды және жайылымдық жерлерді құру үшін табиғи азықтық жерлерді түбегейлі жақсарту үшін шөп қоспаларын пайдаланылады. Ең өнімді жемшөп дақылдарын таңдау арқылы Қостанай облысының далалық аймағындағы мәдени жайылымдарды құру. Көпжылдық шөптердің жасыл массасының өнімділігі мен қоректік заттардың нәтижелері бойынша қорытынды жасалды.

Түйін сөздер: жемшөп өндірісі, көпжылдық шөп, жем-шөп дақылдары, өнімділігі, жайылым.

**А. Б. Нугманов¹, Н. А. Кикебаев²,
А. С. Токушева³, З. К. Агибаева², Дзидра Крейшмане⁴**

¹ТОО «Карабалыкская сельскохозяйственная опытная станция»,
Костанайский область, Казахстан,

²ТОО «Костанайский научно-исследовательский институт сельского хозяйства»,
Костанай, Казахстан,

³Казахский национальный аграрный университет, Алматы, Казахстан,

⁴Латвийский сельскохозяйственный университет, Елгава, Латвия

ПРОДУКТИВНОСТЬ ТРАВСТОЕВ МНОГОЛЕТНИХ ТРАВ В ЗАВИСИМОСТИ ОТ СПОСОБА ВОССТАНОВЛЕНИЯ ПАСТБИЩ

Аннотация. В статье приведены данные, полученные при проведении исследований на опытном поле Костанайского научно-исследовательского института сельского хозяйства. В статье показаны метеорологические данные за 2017 год, которая была благоприятно для роста и развития многолетних кормовых культур. Для создания культурных пастбищ, участков сенокосно-пастбищного использования, коренного улучшения естественных кормовых угодий используют травосмеси. Создание культурных пастбищ в условиях степной зоны Костанайской области путем подбора наиболее продуктивных кормовых культур. Сделаны выводы по результатам исследований на урожайность и на содержание питательных веществ в зеленой массе многолетних трав.

Ключевые слова: кормопроизводство, многолетние травы, продуктивность, пастбище.

Information about authors:

Nugmanov Almabek Batyrzhanovich – candidate of agricultural sciences, director of the Karabalyk agricultural experimental station, e-mail: rgkp.karabalyk@mail.ru.

Kikebaev Nabidulla Ahanovich – doctor of agricultural sciences, director of the Kostanay Research Institute of Agriculture, e-mail: sznpz@mail.ru.

Tokusheva Assel Salimzhanovna – PhD student of the Kazakh National Agrarian University, e-mail: asel-tokusheva@mail.ru.

Agibaeva Zinagul Kairzhanovna – research scientist Kostanay Research Institute of Agriculture, e-mail: sznpz@mail.ru.

Dzidra Kreismane – dr. agr., ass. professor of the Latvia University of Agriculture.

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

<http://agricultural.kz/>

Редактор *М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов*
Верстка на компьютере *Д. Н. Калкабековой*

Подписано в печать 22.05.2018.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
5,4 п.л. Тираж 300. Заказ 4.