

ISSN 2224-526X

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қазақ ұлттық аграрлық университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казахский национальный
аграрный университет

IZVESTIÂ

NATIONAL'NOJ AKADEMII NAUK
RESPUBLIKI KAZAHSTAN
Kazakh national
agrarian university

SERIÂ AGRARNYH NAUK

6 (54)

NOVEMBER – DECEMBER 2019

PUBLISHED SINCE JANUARY 2011

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

Б а с р е д а к т о р

Есполов Т.И.,
э.ғ.д, профессор,
ҚР ҰҒА академигі және вице-президенті

Р е д а к ц и я алқасы:

Байзаков С.Б., э.ғ.д, проф., ҚР ҰҒА академигі (бас редактордың орынбасары); **Тиреуов К.М.**, э.ғ.д, проф., ҚР ҰҒА академигі (бас редактордың орынбасары); **Елешев Р.Е.**, т.ғ.д., проф., ҚР ҰҒА академигі; **Рау А.Г.**, т.ғ.д., проф., ҚР ҰҒА академигі; **Иванов Н.П.**, в.ғ.д, проф., ҚР ҰҒА академигі; **Кешуов С.А.**, т.ғ.д., проф., ҚР ҰҒА академигі; **Мелдебеков А.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Чоманов Ұ.Ч.**, т.ғ.д., проф., ҚР ҰҒА академигі; **Елюбаев С.З.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Садыкулов Т.**, а.ш.ғ.д., проф., академигі; **Баймұқанов Д.А.**, а.ш.ғ.д., проф., ҚР ҰҒА корр-мүшесі; **Сансызбай А.Р.**, а.ш.ғ.д., проф., ҚР ҰҒА корр-мүшесі; **Умбетаев И.**, а.ш.ғ.д., проф., ҚР ҰҒА академигі; **Оспанов С.Р.**, а.ш.ғ.д., проф., ҚР ҰҒА құрметті мүшесі; **Олейченко С.И.**, а.ш.ғ.д., проф.; **Кененбаев С.Б.**, а.ш.ғ.д., проф., ҚР ҰҒА корр-мүшесі; **Омбаев А.М.**, а.ш.ғ.д., проф. ҚР ҰҒА корр-мүшесі; **Молдашев А.Б.**, э.ғ.д., проф., ҚР ҰҒА құрметті мүшесі; **Сагитов А.О.**, б.ғ.д., ҚР ҰҒА академигі; **Сапаров А.С.**, а.ш.ғ.д., проф., ҚР АШҒА академигі; **Балгабаев Н.Н.**, а.ш.ғ.д., проф.; **Умирзаков С.И.**, т.ғ.д, проф.; **Султанов А.А.**, в.ғ.д., проф., ҚР АШҒА академигі; **Алимкулов Ж.С.**, т.ғ.д., проф., ҚР АШҒА академигі; **Сарсембаева Н.Б.**, в.ғ.д., проф.

Р е д а к ц и я к е н е с і:

Fasler-Kan Elizaveta, Dr., University of Basel Switzerland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malayzia; **Hesseln Hayley Fawn**, As. Prof., University of Saskatchewan, Canada; **Alex Morgounov**, Pr., International Maize and Wheat Improvement Center Turkey; **Андреш С.**, Молдова Республикасы ҰҒА академигі; **Гаврилюк Н.Н.**, Украина ҰҒА академигі; **Герасимович Л.С.**, Беларусь Республикасының ҰҒА академигі; **Мамедов Г.**, Азербайджан Республикасының ҰҒА академигі; **Шейко И.П.**, Беларусь Республикасының ҰҒА академигі; **Жалнин Э.В.**, т.ғ.д., проф., Ресей; **Бойнчан Б.**, а.ш.ғ.д, проф., Молдова Республикасы; **Юлдашбаев Ю.А.**, а.ш.ғ.д, проф., РРА корр-мүшесі, Ресей.

Г л а в н ы й р е д а к т о р

Есполов Т.И.,

доктор эконом. наук, проф.,
вице-президент и академик НАН РК

Р е д а к ц и о н на я кол л е г и я:

Байзаков С.Б., доктор эконом. наук, проф., академик НАН РК (заместитель главного редактора); **Тиреуов К.М.**, доктор эконом. наук., проф., академик НАН РК (заместитель главного редактора); **Елешев Р.Е.**, доктор техн. наук, проф., академик НАН РК; **Рай А.Г.**, доктор техн. наук, проф., академик НАН РК; **Иванов Н.П.**, доктор ветеринар. наук, проф., академик НАН РК; **Кешуов С.А.**, доктор техн. наук, проф., академик НАН РК; **Мелдебеков А.**, доктор сельхоз. наук, проф., академик НАН РК; **Чоманов У.Ч.**, доктор техн. наук, проф., академик НАН РК; **Елюбаев С.З.**, доктор сельхоз. наук, проф., академик НАН РК; **Садыкулов Т.**, доктор сельхоз. наук, проф., академик НАН РК; **Сансызыбай А.Р.**, доктор сельхоз. наук, проф., член-корр. НАН РК; **Умбетаев И.**, доктор сельхоз. наук, проф., академик НАН РК; **Оспанов С.Р.**, доктор сельхоз. наук, проф., Почетный член НАН РК; **Олейченко С.И.**, доктор сельхоз. наук, проф.; **Кененбаев С.Б.**, доктор сельхоз. наук, проф., член-корр. НАН РК; **Омбаев А.М.**, доктор сельхоз. наук, проф член-корр. НАН РК; **Молдашев А.Б.**, доктор эконом. наук, проф., Почетный член НАН РК; **Сагитов А.О.**, доктор биол. наук, академик НАН РК; **Сапаров А.С.**, доктор сельхоз. наук, проф., академик АСХН РК; **Балгабаев Н.Н.**, доктор сельхоз. наук, проф.; **Умирзаков С.И.**, доктор техн. наук, проф.; **Султанов А.А.**, доктор ветеринар. наук, проф., академик АСХН РК; **Алимкулов Ж.С.**, доктор техн. наук, проф., академик АСХН РК; **Сарсембаева Н.Б.**, доктор ветеринар. наук, проф.

Р е д а к ц и о н н ы й с о в е т:

Fasler-Kan Elizaveta, Dr., University of asel Switzeland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malayzia; **Hesseln Hayley Fawn**, As.Prof., University of Saskatchewan, Canada; **Alex Morgounov**, Pr., International Maize and Wheat Improvement Center Turkey; **Андреш С.**, академик НАН Республики Молдова; **Гаврилюк Н.Н.**, академик НАН Украины; **Герасимович Л.С.**, академик НАН Республики Беларусь; **Мамедов Г.**, академик НАН Республики Азербайджан; **Шейко И.П.**, академик НАН Республики Беларусь; **Жалнин Э.В.**, доктор техн. наук, проф., Россия; **Боинчан Б.**, доктор сельхоз. наук, проф., Республика Молдова; **Юлдашбаев Ю.А.**, доктор сельхоз. наук, проф., член-корр. РАН, Россия.

Известия Национальной академии наук Республики Казахстан. Серия аграрных наук.

ISSN 2224-526X

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан № 10895-Ж, выданное 30.04.2010 г.

Периодичность 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219-220, тел. 272-13-19, 272-13-18

<http://agricultural.kz/index.php/en/>

© Национальная академия наук Республики Казахстан, 2019

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

C h i e f E d i t o r

Espolov T.I.

Dr. economy. Sciences, prof.,
Vice President and academician of the NAS RK

E d i t o r i a l B o a r d:

Baizakov S.B., Dr. of economy sciences, prof., academician of NAS RK (deputy editor); **Tireuov K.M.**, Doctor of Economy Sciences., prof., academician of NAS RK (deputy editor); **Eleshev R.E.**, Dr. Of agricultural sciences, prof., academician of NAS RK; **Rau A.G.**, Dr. sciences, prof., academician of NAS RK; **Ivanov N.P.**, Dr. of veterinary sciences, prof., academician of NAS RK; **Keshuov S.A.**, Dr. sciences, prof., academician of NAS RK; **Meldebekov A.**, doctor of agricultural sciences, prof., academician of NAS RK; **Chomanov U.Ch.**, Dr. sciences, prof., academician of NAS RK; **Yelyubayev S.Z.**, Dr. of agricultural sciences, prof., academician of NAS RK; **Sadykulov T.**, Dr. Farm. Sciences, prof., academician of NAS RK; **Baimukanov D.A.**, doctor of agricultural sciences, prof., corresponding member NAS RK; **Sansyzbai A.R.**, doctor of agricultural sciences, prof., corresponding member NAS RK; **Umbetaev I.**, Dr. Farm. Sciences, prof., academician of NAS RK; **Ospanov S.R.**, Dr. agricultural sciences, prof., Honorary Member of NAS RK; **Olychenko S.N.**, Dr. Of agricultural sciences, prof.; **Kenenbayev S.B.**, Dr. Agricultural sciences, prof., corresponding member NAS RK; **Ombayev A.M.**, Dr. Agricultural sciences, Prof. corresponding member NAS RK; **Moldashev A.B.**, Doctor of Economy sciences, prof., Honorary Member of NAS RK; **Sagitov A.O.**, Dr. biol. sciences, academician of NAS RK; **Saparov A.S.**, Doctor of agricultural sciences, prof., academician of NAS RK; **Balgabaev N.N.**, the doctor agricultural sciences, Prof.; **Umirzakov S.I.**, Dr. Sci. Sciences, Prof.; **Sultanov A.A.**, Dr. of veterinary sciences, prof., academician of the Academy of Agricultural Sciences of Kazakhstan; **Alimkulov J.C.**, Dr. of tekhnical sciences, prof., academician of the Academy of Agricultural sciences of Kazakhstan; **Sarsembayeva N.B.**, Dr. veterinary sciences, prof.

E d i t o r i a l B o a r d:

Fasler-Kan Elizaveta, Dr., University of Basel Switzeland; **Koolmees Petrus Adrianus**, Prof. Dr., Utrecht University, The Netherlands; **Babadoost-Kondri Mohammad**, Prof., University of Illinois, USA; **Yus Aniza Binti Yusof**, Dr., University Putra, Malayzia; **Hesseln Hayley Fawn**, As. Prof., University of Saskatchewan, Canada; **Alex Morgounov**, candidate of agricultural sciences, International Maize and Wheat Improvement Center Turkey; **Andresh S.**, academician of NAS of Moldova; **Gavriluk N.N.**, academician of NAS of Ukraine; **Gerasimovich L.S.**, academician of NAS of Belorussia; **Mamadov G.**, academician of NAS of Azerbaijan; **Sheiko I.P.**, academician of NAS of Belorussia; **Zhalnin E.V.**, Dr. of technical sciences, professor, Russia, **Boinchan B.**, doctor of agricultural sciences, prof., Moldova; **Yuldashbayev Y.A.**, doctor of agricultural sciences, prof., corresponding member of RAS, Russia.

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of Agrarian Sciences.

ISSN 2224-526X

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10895-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of.219-220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz> / agricultural.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF AGRICULTURAL SCIENCES

ISSN 2224-526X

Volume 6, Number 54 (2019), 28 – 31

<https://doi.org/10.32014/2019.2224-526X.74>

UDC 636.2.035.(574)

Zh. I. Saparova , O. I. Kaladinov, T. U. Baydusenova

Regionally social innovative university, Shymkent, Kazakstan.

E-mail:mr-oktybr@mail.ru, biojan@mail.ru ,togzhan_0301@mail.ru

**COMMODITY QUALITIES OF TOP-QUALITY ASTRAKHAN
FUR OF JACKET GROUP DEPENDING ON THE SIZES
OF THE CURL IN CONDITIONS OF PRIARALYA**

Abstract. The rating of astrakhan fur is determined by a complex of quantitative and qualitative signs – length, width and density of curls, length, density of a hair, silkiness, shine of a scalp, type and a shape of curls etc., and also on commodity properties of astrakhan – the size of the area, mass and thickness of astrakhan.

One of the main indicators is characterizing level of herds selecting of these farms, the high exit of top-quality astrakhan fur.

It was found that in different variants of selection by the size of the whorl, the highest specific gravity of the desirable variety "jacket-1 and kirpuka" was obtained from a homogeneous selection of medium-whorl parents (15.6%), which significantly surpass analogues from small and large-whorl parents, respectively, from 6.3 to 13.3%.

Key words: Karakul lambs, wool morphology, skin morphology, histomorphology.

The rating of astrakhan fur is determined by a complex of quantitative and qualitative signs – length, width and density of curls, length, density of a hair, silkiness, shine of a scalp, type and a shape of curls etc., and also on commodity properties of astrakhan – the size of the area, mass and thickness of astrakhan.

One of the main indicators is characterizing level of herds selecting of these farms, the high exit of top-quality astrakhan fur.

F.K.Sharafutdinov (1973) writes that the analysis of the grey astrakhan given on the range received from various groups of lambs shows that in the conditions of the Talassky region of Dzhambul area it is favorable in farms to receive coarse astrakhan fur.

Calculation of the income received from experimental animals of a different origin H.Nazrullayev (1990) showed that flat curled selection in calculation on 1 head gives on 5,3 rubles or for 4,8% more income, than ridge curled and on 5,5 rubles or 5,1% there is more income, than jacket selection.

H.A.Aubakirov (1997) notes that animal husbandry of jacket type in the conditions of southern Pribalkhashya is economic. So from astrakhan fur realization the profit on one astrakhan made 108,0tenges, and level of profitability of an experimental batch of astrakhan fur according to 9,8 %.

The obtained data show that astrakhan fur of askaniyskymultiple herd and its hybrid of different generation generally large 30,1% and average 69,5% that is an important indicator of its quality where an exit of the 1st grades in "purity" and F1 F2 F3 F4 made respectively 77,5; 74,4; 76,5; 76 and 72,1%, including desirable jacket group respectively 44,7; 41,8; 36,5; 38,7 and 34,9 % (S.I.Sukharkov, 1990).

Studying efficiency of karakul sheep with a different curlsretall at the birth Zh.Zhumabekov (1991) writes that the average price of jacket I with bigger degree of an curls retallmade 36 rublesand 79 coins, and with average degree of an curls retall– 34 rubles and 02 coins.

Zh.N.Karimov (1978) at breeding of karakul sheep sour color silvery and golden coloring of jacket type writes that cost of one astrakhan at homogeneous pairing (sour silvery and sour golden) made similar skins from diverse selection with a black ewes, respectively on 2,94 rubles and 1,50 rubles.

When studying quality of top-quality astrakhan fur depending on age of parental pairs K.Mukhamedkuliiev (1983) writes that at homogeneous selection of sheep of ridge type at 1,5 summer age the exit of top-quality astrakhan fur is more for 8,1%, than at their selection at 4,5 summer age. At heterogeneous selection with an ewes of jacket type at 1,5 summer age the exit of top-quality astrakhan fur is more for 5,7%.

The coryphaeus of a karakul breeding the academician of National Academy of Sciences RK K.E.Elemesov (1989) writes that the special attention will be given to improvement of quality of astrakhan fur and enrichment of its range at the expense of desirable colourings and coloring by wide introduction in production already created and creations of new highly productive factory types and lines.

N.A.Sarsenbayev (1997) writes that from "perfect" parental pairs of jacket type on an exit of desirable jacket group and a valuable grade of a jacket-1 made according to 86,1% and 43,4% and exceed control, respectively for 16,6 and 23,2%.

The rating of astrakhan fur of black coloring of the selection received from homogeneous selection on live mass of sheep at the birth is presented in table 1.

Table 1 – Rate of astrakhan from homogeneous selection
on the size of curl, %

Proofs	Selection type		
	small x small	middle x middle	coarse x coarse
all species of karakul	172	186	170
%	100	100	100
first rates	90,3	93,2	91,8
jacket type	66,8	68,3	63,5
jacket I and kirpu	9,3	15,6	2,3
thick jacket	1,7	8,6	25,3
moscow jacket	55,8	44,1	35,9
ridge-flatgroup	26,8	23,1	16,5
caucasusgroup	6,4	8,6	20,0

Table 2 – Rates of black karakul to groups from heterogeneous
selection on the curl size, %

Proofs	Тип подбора					
	small x middle	small x coarse	middle x small	middle x coarse	coarse x small	coarse x middle
all species of karakul	62	71	60	71	75	62
%	100	100	100	100	100	100
first rates	85,3	87,8	82,1	84,1	85,9	80,3
jacket type	60,9	62,9	60,0	62,0	62,3	65,6
jacket I and kirpu	5,1	6,7	5,6	4,2	6,4	3,3
thick jacket	3,2	8,2	4,0	12,7	11,5	15,4
moscow jacket	52,6	48,0	50,4	45,1	44,4	43,1
ridge-flatgroup	30,0	25,1	30,0	21,3	23,6	32,9
caucasus group	9,1	12,0	10,0	16,7	14,1	15,5

From the table it is visible that irrespective of options of selection skins of all astrakhan groups turn out. However, ratio of various groups unequally. The greatest specific weight of a grade «jacket-1 and kirpuk» is received from middle curl parents - 13,6% and authentically surpass analogs from small and coarse curl parents, respectively for 6,3% and 13,3%, the difference is statistically authentic ($P<0,05$ $P<0,001$). However, it should be noted that from coarse curl parents more coarse size «thickjacket » 25,3% high authentic are received and surpass analogs from small and middle curl parents, respectively for 23,6 and 16,7% ($P<0,001$).

Let's consider the data of astrakhan fur received from diverse selection for the size of a curl (table 2).

Provided this tables show that the greatest exit of skins of desirable top-quality astrakhan fur «jacket-1, kirpuk and a thickjacket » is received from pairing of parental pairs "extreme" (small x coarse and coarse x small) and (middle x coarse

and coarse x middle) selection options, respectively from 6,4 to 6,7% and from 12,7 to 15,4 %. Thus, in the conclusion it is possible to tell that at various options of selection for the size of a curl the greatest specific weight of a desirable grade «jacket-1 and kirpuk» is received from homogeneous selection of middle curl parents (15,6%) which authentically surpass analogs from small and coarse curl parents respectively from 6,3 to 13,3%. However it should be noted that from coarse curl parents, more desirable «thick jacket» 25,3% high authentic are received and exceed analogs from small and middle curl parents, respectively from 10,7 to 23,6% ($P 0,001$).

And at various options of the selection, the greatest exit of skins «jacket-1 and kirpuk» is received from pairing of parental pairs "extreme" (small x coarse and coarse x small) and selection options, respectively from 6,4 to 6,7% and a jacket thick from parental pairs (middle x coarse and coarse x middle) respectively from 12,7 to 15,4 %.

Ж. И. Сапарова, О. И. Каладинов, Т. У. Байдуйсенова

Аймақтық әлеуметтік инновациялық университет, Шымкент, Қазақстан

**ЖОГАРЫ САПАЛЫ ҚАРАКӨЛДІҢ АРАЛ ӨҢІРІ ЖАҒДАЙЫНДА
БҮЙРАЛАУ МӨЛШЕРІНЕ БАЙЛАНЫСТЫ ТАУАРЛЫҚ САПАСЫ**

Аннотация. Қаракөл рейтингі сандық және сапалық белгілер кешенімен анықталады. Қаракөлдің елтірісінің ұзындығы, ені және бүйралауы, тығыздығы, түбіттің тығыздығы, жібектігі, елтірінің жылтырылышы, бүйралаудың түрі мен нысаны, сондай-ақ тауарлық қасиеттері бойынша анықталады. Қаракөл шаруашылықтары табындытының селекциясының деңгейін сипаттайтын негізгі көрсеткіштердің бірі жоғары сапалы қаракөл шығымы болып табылады.

"Жакет-1типті елтірі!" сорттының ең үлкен үлес салмағы орташа бүйралану ата-аналарды біртекті іріктеуден (15,6%) алынатындығы анықталды, олар үқсас майда және ірі бүйралы ата-аналардан тиісінше 6,3-тен 13,3% - га дейін артық.

Түйін сөздер: Қаракөл қозылары, жүн морфологиясы, тері морфологиясы, гистоморфология.

Ж. И. Сапарова, О. И. Каладинов, Т. У. Байдуйсенова

Регионально социальный инновационный университет, Чимкент, Казахстан

**ТОВАРНЫЕ КАЧЕСТВА ВЫСОКОКАЧЕСТВЕННОГО КАРАКУЛЯ
В ЗАВИСИМОСТИ ОТ РАЗМЕРОВ ЗАВИТКА В УСЛОВИЯХ ПРИАРАЛЬЯ**

Аннотация. Рейтинг каракуля определяется комплексом количественных и качественных признаков – длиной, шириной и плотностью завитков, длиной, плотностью волоса, шелковистостью, блеском кожи головы, типом и формой завитков и др., а также по товарным свойствам. Одним из основных показателей, характеризующих уровень селекции стад этих хозяйств, является высокий выход высококачественного каракуля.

Установлено, что при различных вариантах подбора по размеру завитка наибольший удельный вес желательного сорта «жакетный -1 тип» получен от однородного подбора среднезавитковых родителей (15,6%), которые достоверно превосходят аналогов от мелко и крупнозавитковых родителей соответственно от 6,3 до 13,3%.

Ключевые слова: каракульские ягнята, морфология шерсти, кожная морфология, гистоморфология.

Information about authors:

Saparova Zh. I., Regionally social innovative university, Shymkent, Kazakhstan; biojan@mail.ru; <https://orcid.org/0000-0002-1996-4948>

Kaladinov O. I., Regionally social innovative university, Shymkent, Kazakhstan; mr-oktybr@mail.ru; <https://orcid.org/0000-0003-2742-2775>

Baydusenova T. U., Regionally social innovative university, Shymkent, Kazakhstan; togzanka_0301@mail.ru; <https://orcid.org/0000-0002-4986-6337>

REFERENCES

- [1] Sharafutdinov F.K. Ways and methods of improving kara-kul sheep of jacket astrakhan type.//Sheep breeding – 1973.- №4-P.21-22
- [2] Narzullayev H. Efficiency of black kara-kul sheep of flat astrakhan type of a different origin.//Author's abstract of candidatedissertation Tashkent-1990-20p.
- [3] Aubakirov H.A. Productive and biological features of kara-kul sheep in the conditions of Pribalkhashya//Author's abstract of candidate dissertation Shymkent-1997-22p.
- [4] Sukharkov S. I. Commodity qualities of kara-kul sheep of askaniysky multiple astrakhan fur.//Sheep breeding-1990-№7-P.16-17.
- [5] ZhumabekovZh. Efficiency of kara-kul sheep with a different retall of curls at the birth.//Author's abstract of candidatedissertation Tashkent-1991-220p.
- [6] Karimov J. Intra pedigree test of black kara-kul sheep in the Southern Kazakhstan.//Author's abstract of candidatedissertation Samarkand-1978-20p.
- [7] Mukhamedkuliye K. A rating of astrakhan fur of ridge group depending on age of parental pairs.//Sheep breeding-1983.-№6-P.21-22.
- [8] Elemenov K.E. Theoretical bases and practical methods increases of breeding and productive qualities of kara-kul sheep in Kazakhstan.//Author's abstract of doctor's dissertation Alma-Ata-1988-42p.
- [9] Sarsenbayev N. A. Selection values of a repeated assessment it is bright at 10-15 day.//Works of KAZNIIK – Almaty.- 1997. - V.21-P.163-169.

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://nauka-nanrk.kz)

<http://agricultural.kz/index.php/en/>

Редактор М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов
Верстка на компьютере Д. Н. Калкабековой

Подписано в печать 06.12.2019.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
4,9 п.л. Тираж 300. Заказ 6.